

Screen Quest™ Fluo-8 No Wash Calcium Assay Kit

Catalog number: 36314, 36315, 36316
Unit size: 1 Plate, 10 Plates, 100 Plates

Component	Storage	Amount		
		Cat No. 36314	Cat No. 36315	Cat No. 36316
Component A: Fluo-8 NW	Freeze (<-15 °C), Minimize light exposure	1 vial, lyophilized	1 vial, lyophilized	10 vials, lyophilized
Component B: 10X Pluronic® F127 Plus	Freeze (<-15 °C), Minimize light exposure	1 bottle (1 mL)	10 bottles (1 mL/bottle)	10 bottles (10 mL/bottle)
Component C: HHBS (Hanks' buffer with 20 mM Hepes)	Freeze (<-15 °C), Minimize light exposure	1 bottle (9 mL)	1 bottle (100 mL)	Not included

OVERVIEW

Calcium flux assays are preferred methods in drug discovery for screening G protein coupled receptors (GPCR). Screen Quest™ Fluo-8 NW Calcium Assay Kit provides a homogeneous fluorescence-based assay for detecting the intracellular calcium mobilization. Cells expressing a GPCR of interest that signals through calcium are pre-loaded with our proprietary Fluo-8 NW which can cross cell membrane. Fluo-8 NW is the brightest calcium indicator available for HTS screening. Once inside the cell, the lipophilic blocking groups of Fluo-8 AM are cleaved by non-specific cell esterase, resulting in a negatively charged fluorescent dye that stays inside cells, and its fluorescence is greatly enhanced upon binding to calcium. When cells stimulated with screening compounds, the receptor signals release of intracellular calcium, which greatly increase the fluorescence of Fluo-8 NW. The characteristics of its long wavelength, high sensitivity, and 100-250 times fluorescence increases (when it forms complexes with calcium) make Fluo-8 NW an ideal indicator for measurement of cellular calcium. This Screen Quest Fluo-8 NW Calcium Assay Kit provides an optimized assay method for monitoring [G-protein-coupled receptors](#) (GPCRs) and calcium channels. The assay can be performed in a convenient 96-well or 384-well microtiter-plate format and easily adapted to automation.

AT A GLANCE

Protocol summary

1. Prepare cells in growth medium with 1-5% FBS
2. Add Fluo-8 NW dye-loading solution (100 µL/well for 96-well plate or 25 µL/well for 384-well plate)
3. Incubate at room temperature for 1 hour
4. Monitor fluorescence intensity at Ex/Em = 490/525 nm

Important Thaw all the kit components at room temperature before starting the experiment.

KEY PARAMETERS

Instrument:	Fluorescence microplate reader
Excitation:	490 nm
Emission:	525 nm
Cutoff:	510 nm
Recommended plate:	Black wall/Clear bottom
Instrument specification(s):	Bottom read mode/Programmable liquid handling
Other Instruments:	FLIPR, NOVOSTar, FlexStation, ViewLux, IN Cell Analyzer, ArrayScan, FDSS

PREPARATION OF STOCK SOLUTIONS

Unless otherwise noted, all unused stock solutions should be divided into single-use aliquots and stored at -20 °C after preparation. Avoid repeated freeze-thaw cycles.

1. **Fluo-8 NW stock solution:**
Add 20 µL (for **Cat. # 36314**) or 200 µL (for **Cat. # 36315 and # 36316**) of DMSO

into the vial of Fluo-8 NW (Component A), and mix them well.

Note 20 µL of Fluo-8 NW stock solution is enough for one plate. Un-used Fluo-8 NW stock solution can be aliquoted and stored at < -20 °C for more than one month if the tubes are sealed tightly. Protect from light and avoid repeated freeze-thaw cycles.

2. Assay Buffer (1X):

- a) For **Cat. # 36314 (1 plate kit)** and **# 36315 (10 plates kit)**, make 1X assay buffer by adding 9 mL of HHBS (Component C) into 10X Pluronic® F127 Plus (1 mL, Component B), and mix them well.
- b) For **Cat. # 36316 (100 plates kit)**, make 1X assay buffer by adding the whole bottle of 10 X Pluronic® F127 Plus, (10 mL, Component B) into 90 mL of HHBS buffer (not included in the kit), and mix them well.

Note 10 mL of 1X assay buffer is enough for one plate. Aliquot and store unused 1X assay buffer at < -20 °C. Protect from light and avoid repeated freeze-thaw cycles

PREPARATION OF WORKING SOLUTION

Fluo-8 NW dye-loading solution:

Add 20 µL of Fluo-8 NW stock solution into 10 mL of 1X assay buffer, and mix them well.

Note This working solution is stable for at least 2 hours at room temperature.

PREPARATION OF CELL SAMPLES

For guidelines on cell sample preparation, please visit <https://www.aatbio.com/resources/guides/cell-sample-preparation.html>

SAMPLE EXPERIMENTAL PROTOCOL

1. Add 100 µL/well (96-well plate) or 25 µL/well (384-well plate) of Fluo-8 NW dye-loading solution into the cell plate. [We offer 2 separate medium removal calcium assay kits (Cat.# 36308 and 36309) for those who prefer to keep the medium removal step].
2. Incubate the dye-loading plate in a cell incubator for 30 minutes, and then incubate the plate at room temperature for another 30 minutes.

Note If the assay requires 37 °C, perform the experiment immediately without further room temperature incubation.

Note If the cells can function well at room temperature for longer time, incubate the cell plate at room temperature for 1-2 hours (It is recommended that the incubation time be no longer than 2 hours).

3. Prepare the compound plate with HHBS or your desired buffer.
4. Run the calcium flux assay by monitoring the fluorescence intensity at Ex/Em = 490/525 nm.

Note It is important to run the signal test before the experiment. Different instruments have their own intensity range. Adjust the signal test intensity to the level of 10% to 15% of the maximum instrument intensity counts. For example, the maximum fluorescence intensity count for FLIPR-384 is 65,000, so the instrument settings should be adjusted to have the signal test intensity around 7,000 to 10,000.

EXAMPLE DATA ANALYSIS AND FIGURES

The reading (RFU (Max-Min)) obtained from the blank standard well is used as a negative control. Subtract this value from the other standards' readings to obtain the base-line corrected values. Then, plot the standards' readings to obtain a standard curve and equation. This equation can be used to calculate Carbachol dose samples. We recommend using the Online Four Parameter Logistics Calculator which can be found at:

<https://www.aatbio.com/tools/four-parameter-logistic-4pl-curve-regression-online-calculator>




Figure 1. Carbachol Dose Response was measured in HEK-293 cells with Screen Quest™ Fluo-8 No Wash Calcium Assay Kit and Fluo-4 NW Calcium Assay Kit. HEK-293 cells were seeded overnight at 40,000 cells/100 μL/well in a Costar black wall/clear bottom 96-well plate. The cells were incubated with 100 μL of dye-loading solution using the Screen Quest™ Fluo-8 No Wash calcium assay kit or Fluo-4 NW kit (according to the manufacturer’s instructions) for 1 hour at room temperature. Carbachol (50μL/well) was added by NOVOstar (BMG Labtech) to achieve the final indicated concentrations.

DISCLAIMER

AAT Bioquest provides high-quality reagents and materials for research use only. For proper handling of potentially hazardous chemicals, please consult the Safety Data Sheet (SDS) provided for the product. Chemical analysis and/or reverse engineering of any kit or its components is strictly prohibited without written permission from AAT Bioquest. Please call 408-733-1055 or email info@aatbio.com if you have any questions.