

**iFluor™ 647 goat anti-mouse IgG (H+L)**

Catalog number: 16482, 16744

Unit size: 200 ug, 1 mg

**Product Details**

---

Storage Conditions	2-6°C and kept from light. To extend the shelf-life of this product, add an equal volume of glycerol to make a final concentration of approximately 50% glycerol and store at -20°C.
Expiration Date	12 months upon receiving
Concentration	1 mg/mL
Formulation	PBS, 2 mg/mL BSA

**Unit Details**

---

Unit	16482 (200 ug)	16744 (1 mg)
Reconstitution Volume	200 uL ddH <sub>2</sub> O	1 mL ddH <sub>2</sub> O

**Antibody Properties**

---

Species Reactivity	Mouse
Class	Secondary
Clonality	Polyclonal
Host	Goat

**Chemical Properties**

---

Molecular Weight	~150000
------------------	---------

**Biological Properties**

---

Stabilizer	None
Appearance	Blue solid
Preparation	Goat anti-mouse IgG (H+L) is produced in goat with pooled total mouse IgG, and affinity purified with mouse IgG coupled beads. The antibody is conjugated with iFluor™ 647 under optimal condition.
Application	Immunofluorescence (IF), Flow Cytometry (FACS)
Soluble In	Water

**Spectral Properties**

---

Conjugate	iFluor™ 647
Excitation Wavelength	656 nm

## Applications

---

AAT Bioquest's iFluor™ dyes are optimized for labeling proteins, in particular, antibodies. These dyes are bright, photostable and have minimal quenching on proteins. They can be well excited by the major laser lines of fluorescence instruments (e.g., 350, 405, 488, 555 and 633 nm). iFluor™ 647 goat anti-mouse IgG (H+L) conjugate has fluorescence excitation and emission maxima of ~654 nm and ~674 nm respectively. These spectral characteristics make them an excellent alternative to Alexa Fluor® 647 goat anti-mouse IgG (H+L) conjugate (Alexa Fluor® is the trademark of Invitrogen).