

iFluor™ 800 goat anti-rabbit IgG (H+L) *Cross Adsorbed*

Catalog number: 48052, 48053

Unit size: 200 µg, 1 mg

Product Details

Storage Conditions 2-6°C and kept from light. To extend the shelf-life of this product, add an equal volume of

glycerol to make a final concentration of approximately 50% glycerol and store at -20°C.

Expiration Date 12 months upon receiving

Concentration 1 mg/mL

Formulation PBS, 2 mg/mL BSA

Unit Details

Unit 48052 (200 µg) 48053 (1 mg)

Reconstitution Volume $200 \mu L ddH_2O$ 1 mL ddH_2O

Antibody Properties

Species Reactivity Rabbit

Class Secondary

Clonality Polyclonal

Host Goat

Chemical Properties

Molecular Weight ~150000

Biological Properties

Stabilizer None

Appearance Green solid

Preparation Goat anti-rabbit IgG (H+L) is produced in goat with pooled total rabbit IgG, and affinity purified

with rabbit IgG coupled beads. The purified IgG has a minimal cross-reaction to human, horse, mouse, human and bovine IgG. The antibody is conjugated with iFluor™ 800 under optimal

condition.

Application Flow Cytometry (FACS), ELISA, HC, Western Blot

Soluble In Water

Spectral Properties

Conjugate iFluor™ 800

Excitation Wavelength 801 nm

Emission Wavelength 820 nm

Applications

AAT Bioquest's iFluor™ dyes are optimized for labeling proteins, in particular, antibodies. These dyes are bright, photostable, and have minimal quenching on proteins. They can be well excited by the major laser lines of fluorescence instruments (e.g., 350, 405, 488, 532-561, 633-647 and 808 nm). iFluor™ 800 goat anti-rabbit IgG (H+L) conjugate has fluorescence excitation and emission maxima of ②801 nm and ②820 nm, respectively. These spectral characteristics make them an excellent alternative to Alexa Fluor® 800 goat anti-rabbit IgG (H+L) conjugate (Alexa Fluor® is a trademark of Invitrogen).